

| | | | | | |
|---|----------------------------|---|----------------------------------|---|---|
| Prüfbericht - Nr.: <i>Test Report No.:</i> | | IND/BLR/Ch/2016/5047 Part-A | | Seite 1 von 2 <i>Page 1 of 2</i> | |
| Auftraggeber: <i>Client:</i> | | ECOZEN 75/76 "Srinilaya", Kallahalli Vinobha Nagar, Shivamogga-577204, India | | | |
| Gegenstand der Prüfung: <i>Test item:</i> | | NATURAL ECO FRIENDLY ORGANIC PRODUCT | | | |
| Bezeichnung: <i>Identification:</i> | | - | | Serien-Nr.: <i>Serial No./Document Submitted:</i> | |
| | | | | Letter Dated: 07.09.2016 | |
| Wareneingangs-Nr.: <i>Receipt No.:</i> | | 08092016 | | Eingangsdatum: <i>Date of receipt:</i> | |
| Order No.: | | 1803164639 | | 08.09.2016 | |
| | | | | Testing Period: 08.09.2016 to 14.09.2016 | |
| Prüfört: <i>Testing location:</i> | | TÜV Rheinland India Pvt Ltd, Plot No.17B, Electronic City Phase II Industrial Area, Hosur Road, Bangaluru - 560 100, Karnataka, India | | | |
| Prüfgrundlage: <i>Test specification:</i> | | Testing for Microbiological parameters | | | |
| Prüfergebnis: <i>Test Result:</i> | | Refer to the following page (s). 2 to 2 | | | |
| Prüflaboratorium/ Testing Laboratory: | | | | | |
| zusammengestellt/ compiled by: | | | kontrolliert/ checked by: | | |
| 16.09.2016 | | Kumudini M Microbiologist Industry Services | | 16.09.2016 | |
| | | | | Chandrashekara Aithala B Manager Industry Services | |
| Datum <i>Date</i> | Name <i>Name</i> | Unterschrift <i>Signature</i> | Datum <i>Date</i> | Name <i>Name</i> | Unterschrift <i>Signature</i> |
| Sonstiges/ Other Aspects: This report Contains Part B as additional Test. | | | | | |
| Abkürzungen: | | <i>ok / P = entspricht Prüfgrundlage</i> | | Abbreviations: | |
| | | <i>fail / F = entspricht nicht Prüfgrundlage</i> | | <i>ok / P = passed</i> | |
| | | <i>n.a. / N = nicht anwendbar</i> | | <i>fail / F = failed</i> | |
| | | | | <i>n.a. / N = not applicable</i> | |
| Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. | | | | | |
| <i>This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.</i> | | | | | |

Prüfbericht - Nr.: IND/BLR/Ch/2016/5047 Part-A
*Test Report No.:***Seite 2 von 2**
*Page 2 of 2***TEST REPORTS****Sample Description**

NATURAL ECO FRIENDLY ORGANIC PRODUCT

Sampling : 1. Submitted Sample collected by the laboratory : No

MICROBIOLOGICAL PARAMETERS:

| SI No. | Parameters | Unit | Results | Test Method |
|--------|--------------------------|-------|---------|--------------------------------|
| 1 | Total Coliform Count | Cfu/g | <10 | IS 5401 (Part 1): 2012 |
| 2 | Total Yeast & Mold Count | Cfu/g | 35 | IS 5403: 1999, Reaffirmed 2005 |

-----End of Test Report-----